


IN THE SPECIFICATION

Please replace the paragraph on p.11, lines 3-11 in the Specification as filed with the following paragraph:

Chemical Formula 1


wherein

M is a Group 10 transition metal;

n is 1 or 2;

A represents a linear or branched C<sub>1-20</sub> ~~alkyl, aryl, aralkyl, alkenyl, alkylene, arylene, aralkylene, or alkenylene~~ group or a linear or branched C<sub>1-20</sub> ~~alkyl, aryl, aralkyl or alkenyl, alkylene, arylene, aralkylene, or alkenylene~~ group containing a hetero atom including Si, Ge, S, O, or N;

Please replace the paragraph on p.13, lines 7-15 in the Specification as filed with the following paragraph:

Chemical Formula 1

In Chemical Formula 1,

M is a Group 10 transition metal;

n is 1 or 2;

A represents a linear or branched C<sub>1-20</sub> ~~alkyl, aryl, aralkyl, alkenyl, alkylene,~~  
~~arylene, aralkylene, or alkenylene~~ group or a linear or branched C<sub>1-20</sub> ~~alkyl, aryl, aralkyl~~  
~~or alkenyl group-alkylene, arylene, aralkylene, or alkenylene~~ containing a hetero atom  
 including Si, Ge, S, O, or N;


Please replace the paragraph on p.15, lines 16-23 in the Specification as filed with the  
 following paragraph:

Anion is an anion capable of weakly coordinating to the metal M of the  
 precatalyst, and is selected from the group consisting of ~~borate, aluminate, [SbF<sub>6</sub>], [PF<sub>6</sub>],~~  
~~[AsF<sub>6</sub>], perfluoroacetate ((CF<sub>3</sub>CO<sub>2</sub>)), perfluoropropionate ((C<sub>2</sub>F<sub>5</sub>CO<sub>2</sub>)),~~  
~~perfluorobutyrate ((CF<sub>3</sub>CF<sub>2</sub>CF<sub>2</sub>CO<sub>2</sub>)), perchlorate ((ClO<sub>4</sub>)), p-toluenesulfonate ((p-~~  
~~CH<sub>3</sub>C<sub>6</sub>H<sub>4</sub>SO<sub>3</sub>)), [SO<sub>3</sub>CF<sub>3</sub>], ~~boratabenzene, and carborane borate anion, aluminate anion,~~  
~~[SbF<sub>6</sub>]<sup>-1</sup>, [PF<sub>6</sub>]<sup>-1</sup>, [AsF<sub>6</sub>]<sup>-1</sup>, perfluoroacetate anion ((CF<sub>3</sub>CO<sub>2</sub>)<sup>-1</sup>), perfluoropropionate~~  
~~anion ((C<sub>2</sub>F<sub>5</sub>CO<sub>2</sub>)<sup>-1</sup>), perfluorobutyrate anion ((CF<sub>3</sub>CF<sub>2</sub>CF<sub>2</sub>CO<sub>2</sub>)<sup>-1</sup>), perchlorate anion~~  
~~((ClO<sub>4</sub>)<sup>-1</sup>), p-toluenesulfonate anion ((p-CH<sub>3</sub>C<sub>6</sub>H<sub>4</sub>SO<sub>3</sub>)<sup>-1</sup>), [SO<sub>3</sub>CF<sub>3</sub>]<sup>-1</sup>, boratabenzene~~  
~~anion, and carborane anion~~ unsubstituted or substituted with a halogen atom; and~~


Please replace the paragraph on p.16, lines 15-20 in the Specification as filed with the  
 following paragraph:

The borate or aluminate of Chemical Formula 4 is an anion represented by  
 Chemical 4a or 4b.

Chemical Formula 4a



Chemical Formula 4b



Please replace the paragraph beginning on p. 22, line 20 in the Specification as filed

with the following paragraph:

The monomer solution further comprises a cycloolefin compound containing no polar functional group. The molar ratio of the cycloolefin compound containing no polar functional group is 30 % by mole or less based on the total monomers in the monomer solution.